

A brand of passion

# Made Legendary, Made For You

Lubricants product catalog

#ELF  
#ELFLubricants  
#TheNewLubProject

Total Lubrifiants

562 Avenue du Parc de l'île  
92029 Nanterre France

[elf.com](http://elf.com)



[elf.com](http://elf.com)











### Editor's Note

From the racetrack to your own car's engine, ELF is recognized as a partner of choice when it comes to lubricants.

We celebrate every victory with ELF, and we take great pride in our lubricants product range because the team is committed to serve you with high technological products, all types of applications to meet your needs and expectations.

This Lubricant guide is designed to help you recall the ELF story, to better understand our product ranges and to make the best choice for your vehicle.





# Content

## Introduction

About ELF: Brand History	01
ELF: A Brand Of Passion	03
Brand Values	05
Product Development	07
New Packaging Highlights	09
What Is ELF Lubricants Technology?	10

## Chapter 1: Consumer Market 11

### Passenger Car Motor Oil

ELF EVOLUTION Range Nomenclature And Label Architecture	13
ELF EVOLUTION Products	17
ELF Products Dedicated to Renault	25
ELF SPORTI Range Nomenclature And Label Architecture	29
ELF SPORTI Products	33

### Motorcycle Oil

Motorcycle Lubricant Technologies	37
Leisure Range 2/4 Strokes: API, JASO, ISO Explanation	39
ELF MOTO 4T and 2T Range Nomenclature	41
ELF SCOOTER 4T and 2T Range Nomenclature	43
Label Architecture	45
ELF MOTO and SCOOTER Products	47
ELF Bike Care Products	51

### Niche Range

HTX Classic Cars Range	55
HTX Competition Range Nomenclature	57
HTX Competition Products	59

## Chapter 2: Professional Market 61

### Heavy Duty On-Road Motor Oil

ELF PERFORMANCE PRO Range Nomenclature	63
ELF PERFO HDX Range Nomenclature	65
Label Architecture	67
ELF PERFORMANCE PRO Products	69
ELF PERFO HDX Products	71

## Chapter 3: Cross-Category 73

### On-Road Transmission

Manual Transmission Range: TRANSELF/GEARELF	77
Automatic Transmission Range: ELFMATIC	79

### Off-Road Transmission

TRACTELF Products	83
Hydraulic/Brake Fluid	85

## Chapter 4: MyELFStore 87

### MyELFStore

Collection 2021	90
-----------------	----





# About ELF

## Brand History

### From 1960, Facts Today

We Have Been Engineered To Power Success

## 1967

ELF's story began in France, 1967, as a government-owned corporation. We first caught the world's attention when we plastered our huge 'red circles' on Union Générale des Pétroles' networks' oil tanks and petrol stations.

That was the beginning of ELF's rise to become a global leader in lubricant technology. At the start, we were powered by the mere simple idea of producing quality lubricants for vehicles. Over the years, we recognized our potential to revolutionize the quality of drives forever, and our ambition grew.



## We Are Constantly Moving Ahead

## 1994

Initially, ELF was owned by the French Government until 1994 when its ownership was transferred to a privately owned corporation.

## 2000

In 2000, ELF merged with lubricant powerhouse Total, the fourth largest energy company in the world, which has expanded our operations to across the globe.

ELF lubricants today have:

- **6** ranges, more than **100** products
- Distributed in more than **90** countries
- **41** production plants



## ELF has become a key player in the world of competition as a partner of its greatest victories.

Our standout wins include:

- 1968** | ELF sponsors Matra-Ford MS10 on the Dutch circuit, Zandvoort, at the F1 World Championship. Emerges as victor.
- 1969** | ELF clinches titles of F1 'World Champion' and F1 'World Champion Constructors' titles.
- 1970** | ELF enters competition with Renault. The two brands sign a contract to develop a high-performance engine.
- 1971** | Renault and ELF win the Monte-Carlo rally, the French Championship and the International Rally Championship.
- 1974** | ELF sponsors the legendary 6-wheeled Ford Tyrrell P34 at Swedish Grand Prix.
- 1978** | ELF sponsors the Renault Alpine V6, fashioned in ELF's brand colours, at 24 Hours of Le Mans. Emerges as victor.
- 1985** | ELF stands on the podium at the F1 Grand Prix.
- 1989** | Renault enters F1 again with Williams, accompanied by ELF.
- 1992** | The Renault-Williams-ELF trio wins the 'World Champion' and 'World Champion Constructors' titles.
- 2020** | ELF starts the Signatech-Alpine-ELF Partnership.

# ELF

## A Brand Of Passion

### RACING IS IN OUR DNA

ELF has been at the heart of motorsport success since 1968.

Similar to the sport, we revel in the thrill of pushing boundaries and breaking limits. Our involvement in motorsport competitions over the years has rooted us as key players in lubricant technology. ELF's many victories over 50 years in motorsport fuel our ambition to produce the most exceptional products and services. Together with our partners, we continue to develop more enduring, fuel-saving, and cleaner solutions.

We collaborate with top international manufacturers who share our love for racing, such as Renault, Nissan, Kawasaki and Dacia. We play a critical role in our partnership with the Alpine A470, which we have taken to the FIA World Endurance Championship and the Alpine ELF Europa Cup.

Racing, a test of endurance, requires lubricants of the highest caliber and latest standards. We test our lubricants against these harsh racing conditions to perfect them. Our customers can have confidence that ELF lubricants will awaken the full passion, adrenaline, and sensations of motorsport, in any vehicle on any road.

## Our Track Record

- **156** Victories in Grand Prix
- **9** Manufacturer Titles
- **10** Pilot Titles





# ELF Values

## Core Values

Creating Exceptional Drive Exhilarates Us

A brand of passion

ELF has found success globally because we have stayed true to our core values. We lead every project with Passion, Expertise, and Premium, with the goal of making every drive a real moment of pleasure.

### PASSION

Drawing from our passion for motorsport, we want to integrate the same excellence, adventure, and athleticism into every drive to give customers heightened experiences that stir emotions and create sensations typically felt only on a racetrack.

### EXPERTISE

Fundamentally inspired by R&D, we strive to be specialists in our field by constantly anticipating, exploring, innovating, and daring to be different.

### PREMIUM

We are strongly anchored in the public consciousness in many markets as a brand of status, prestige, and elegance. Our dignified and restrained approach to developing high-value products has attracted a community of driving enthusiasts.



# ELF Development

ELF has dedicated lines of lubricants for cars, motorcycles and heavy-duty vehicles.

ELF products are conceived in 2 research and technical centers:

- CRES (Solaize, France)
- TCAP (Mumbai, India)



1976

## PRESTI ANTI-WEAR

Launched Presti Anti-wear, the first lubricant on the market to be offered in 15W grades

1979

## DETERGENT OIL

Launched the first detergent oils for diesel engines



1993

## ELF COMPETITION SX 10W-30

ELF Competition SX 10W-30 the first fuel saving lubricant

2000

## ELF EVOLUTION & ELF EXCELLIUM

Launched ELF Evolution, the second generation fuel-saving lubricant. ELF Excellium for recent direct injection technology engines



2004

## ELF EXCELLIUM XXL

Launched ELF Excellium XLL and ELF Excellium LSX

2007

## ELF SOLARIS

Launch of the low ash lubricant, ELF SOLARIS DPF



2013

## ELF EVOLUTION

Product names reorganization from a more streamlined range

2020

## THE NEW LUB PROJECT

Launched new packaging with reduced plastics and enhanced ergonomics





# New ELF Packaging Highlights

## New Cap Strategy

We are offering new, improved closures for our products using Ring Peel Liner technology for anti-counterfeit

## Big Side Handle

Facilitates pouring and handling

## Larger Labels

More space to display and read product information, benefits and technical details

## Lighter Pack

The weight of the packaging has been reduced which will prevent the emission of 9,500 tons of CO2 equivalent each year owing to raw materials savings

## QR Code

A new QR Code to allow product identification by the customer and prevent counterfeit product



# Advanced Technology Lubricants

ELF has a strong expertise in lubricants and is deeply engaged in high-end cleaner lubrication for mobility.

Our competitive edge is our consistent R&D efforts towards making technical and technological innovations. That is how we can continue producing high performance and effective oils designed to protect engines.



## Fuel Economy Lubricants

ELF's Fuel Economy lubricants improve vehicle and equipment performance while significantly reducing environmental impact and running costs. (i.e. lower fuel consumption, fewer CO2 emissions, more engine protection, less wear)



## Low SAPS Lubricants

ELF low SAPS lubricants cater to the needs of the most up-to-date engines, enabling their depolluting systems to operate at maximum capacity to reduce environmental impact. (i.e. low levels of sulphated ash, phosphorus and sulphur (SAPS))



A brand of passion

# Chapter 1:

Consumer Market





# ELF EVOLUTION Range Nomenclature



EVOLUTION  
**300**

**Mineral Technology**

**Protection**

The assurance and reliability  
of an established brand



EVOLUTION  
**400**

**Mineral Technology**

**Protection and reliability**  
The assurance and reliability  
of an established brand



EVOLUTION  
**500**

**Advanced Mineral Technology**

**Extra protection and reliability**  
A part of the premium range  
performance for older cars



EVOLUTION  
**700**  
**Synthetic-Based Technology**

**Superior protection  
and reliability**  
Recent car models and  
demanding technical  
requirements



EVOLUTION  
**900**  
**Synthetic Technology**

**High protection and  
ultimate performance**  
Recent car models and  
demanding technical  
requirements



EVOLUTION  
**FULL-TECH**  
**Synthetic Technology**

**Latest generation technology  
and ultimate performance**  
Recent car models and  
demanding technical  
requirements

STANDARD

PREMIUM



# Label Architecture

Sub-segments  
Identification Colour

ELF Logo

Range Name

Denomination

Viscosity/Grade

Specific Characteristic  
Of The Product

QR Code

Valorization Pictogram/  
International Specification



ELF Logo

Range Name

Denomination

Viscosity Grade

Technology

Homologation And  
International Specification

Product Description

Sub-segments  
Identification Colour

Capacity



## Front Label Architecture

The valorization pictograms placed in the area provided for this purpose from left to right at the bottom on the base line of capacity.

Product information is aligned to the right with one piece of information on top of the other.





















## Back Label Architecture

The back of the label is composed of 3 big areas



# EVOLUTION FULL-TECH PRODUCTS







Latest generation technology and ultimate performance  
Recent car models and demanding technical requirements

COMMERCIAL NAMES	VISCOCITY GRADES	TECHNOLOGY	INTERNATIONAL SPECIFICATIONS	OEM APPROVALS	MEETS THE REQUIREMENTS OF	FUEL ECONOMY/ LOW SAPS
EVOLUTION FULL-TECH <b>APX</b>	0W-20	Synthetic Technology	ACEA C5 API SN ILSAC GF-5	BMW LL-17 FE+, STJLR.51.5122		 
EVOLUTION FULL-TECH <b>VSX</b>	0W-20	Synthetic Technology	ACEA C5	VW 508.00/509.00, Porsche C20		 
EVOLUTION FULL-TECH <b>LLX</b>	0W-30	Synthetic Technology	ACEA C3	VW 504.00/507.00, Porsche C30		 
 EVOLUTION FULL-TECH <b>FDX</b>	0W-30	Synthetic Technology	ACEA C2	FORD WSS-M2C950-A, STJLR.03.5007		 
 EVOLUTION FULL-TECH <b>FEX</b>	5W-20	Synthetic Technology	ACEA C5 API SN/CF	FORD WSS-M2C948-B, STJLR.03.5004		
 EVOLUTION FULL-TECH <b>DID</b>	5W-30	Synthetic Technology	ACEA C3 API SN/CF	VW 505.00/505.01 MB-Approval 229.52	GM Dexos 2	
EVOLUTION FULL-TECH <b>DTX</b>	5W-30	Synthetic Technology	ACEA C2 / C3 API SN / CF	MB-Approval 229.52	GM Dexos 2	
EVOLUTION FULL-TECH <b>FE</b>	5W-30	Synthetic Technology	ACEA C4	RN0720, MB-Approval 226.51, MB-Approval 229.51	Fiat 9.55535-S4	 
EVOLUTION FULL-TECH <b>LLX</b>	5W-30	Synthetic Technology	ACEA C3	VW 504.00 / 507.00, BMW LL-04, MB-Approval 229.51, Porsche C30		 
EVOLUTION FULL-TECH <b>MSX</b>	5W-30	Synthetic Technology	ACEA C3 API SN PLUS / CF	BMW LL-04, MB-Approval 229.52, OPEL-VAUXHALL OV0401547	GM Dexos 2, VW 505.01, Suitable for KIA	
EVOLUTION FULL-TECH <b>LSX</b>	5W-40	Synthetic Technology	ACEA C3 API SN / CF	MB-Approval 229.51, PORSCHE A40, VW 505.01	Fiat 9.55535-S2, FORD-WSS-M2C917-A, GM Dexos 2	



# EVOLUTION 900 PRODUCTS

High protection and ultimate performance  
Recent car models and demanding technical requirements

COMMERCIAL NAMES	VISCOCITY GRADES	TECHNOLOGY	INTERNATIONAL SPECIFICATIONS	OEM APPROVALS	MEETS THE REQUIREMENTS OF	FUEL ECONOMY/ LOW SAPS
 EVOLUTION 900 <b>FTX SP</b>	0W-20 5W-30	Synthetic Technology	API SP ILSAC GF-6A			
EVOLUTION 900 <b>FT</b>	0W-30	Synthetic Technology	ACEA A3/B4 API SL/CF	VW 502.00 / 505.00, RN0700 / RN0710 MB-Approval 229.5		
EVOLUTION 900 <b>FT</b>	0W-40	Synthetic Technology	ACEA A3/B4 API SN/CF	VW 502.00 / 505.00, RN0700/0710 MB-Approval 229.5, MB-Approval 226.5 FORD WSS-M2C937-A, PORSCHE A40		
EVOLUTION 900 <b>SXR</b>	5W-30	Synthetic Technology	ACEA A5/B5 API SL/CF	RN0700 (except 2.0 16V Renault Sport, 2.0 T Renault Sport, V6 Renault Sport), FORD WSS-M2C913-D (back-compatible) FORD WSS-M2C913-C, STJLR 03.5003		
 EVOLUTION 900 <b>USX</b>	5W-30	Synthetic Technology	API SP ILSAC GF-6A	Dexos 1™ Gen 2 FORD WSS-M2C961-A1		
EVOLUTION 900 <b>FT</b>	5W-40	Synthetic Technology	ACEA A3/B4 API SN/CF	VW 502.00 / 505.00 PORSCHE A40 MB-Approval 229.5 RN0700/RN0710	FIAT 9.55535-M2, CHRYSLER MS-12991	
EVOLUTION 900 <b>FTA</b>	5W-40	Synthetic Technology	API SN			
EVOLUTION 900 <b>NF</b>	5W-40	Synthetic Technology	ACEA A3/B4 API SL/CF	VW 502.00 / VW 505.00, MB-Approval 229.3		
EVOLUTION 900 <b>SXR</b>	5W-40	Synthetic Technology	ACEA A3/B4 API SN/CF	RN0710 / RN0700, MB-Approval 229.5, PORSCHE A40, VW 502.00 / VW 505.00, PSA B71 2296	FIAT 9.55535-M2, CHRYSLER MS-12991	
EVOLUTION 900	5W-50	Synthetic Technology	API SG / CD			
EVOLUTION 900 <b>FT</b>	5W-50	Synthetic Technology	API SN			



# EVOLUTION 700 PRODUCTS

Superior protection and reliability  
Recent car models and demanding technical requirements

COMMERCIAL NAMES	VISCOCITY GRADES	TECHNOLOGY	INTERNATIONAL SPECIFICATIONS	OEM APPROVALS	MEETS THE REQUIREMENTS OF	FUEL ECONOMY/ LOW SAPS
EVOLUTION 700 <b>FT</b>	5W-40 10W-40 15W-50	Synthetic-Based Technology	API SN			
<b>NEW</b> EVOLUTION 700 <b>FTX SP</b>	5W-30	Synthetic-Based Technology	API SP ILSAC GF-6A			
EVOLUTION 700 <b>ST</b>	10W-40	Synthetic-Based Technology	ACEA A3 / B4 API SN / CF	VW 501.01 / 505.00 RN0700/0710	MB-229.3, Fiat 9.55535-G2	
EVOLUTION 700 <b>STI</b>	10W-40	Synthetic-Based Technology	ACEA A3 / B4 API SN / CF	VW 501.01 / 505.00, RN0700/0710 PSA B71 2300 (backward compatible B71 2294)	MB-229.3, FIAT 9.55535-G2	
EVOLUTION 700 <b>TD</b>	10W-40	Synthetic-Based Technology	ACEA A3 / B4 API SN / CF	VW 501.01 / 505.00 RN0700/0710	MB-229.3, Fiat 9.55535-G2	
EVOLUTION 700 <b>ST</b>	15W-50	Synthetic-Based Technology	ACEA A3 / B4 API SN / CF	VW 501.01 / 505.00	MB-229.1	

# EVOLUTION 500 PRODUCTS

Extra protection and reliability  
A part of the premium range performances for older cars

<b>NEW</b> EVOLUTION 500 <b>FTX SP</b>	10W-30	Advanced Mineral Technology	API SP ILSAC GF-6A			
EVOLUTION 500 <b>FT</b>	10W-40 15W-40 15W-50 20W-50	Advanced Mineral Technology	API SN / CF			
EVOLUTION 500 <b>DIESEL</b>	15W-40	Advanced Mineral Technology	ACEA A3 / B3 API SL / CF		MB-229.1, VW 505.00, suitable for Renault	
EVOLUTION 500 <b>TS</b>	15W-40	Advanced Mineral Technology	ACEA A3 / B3 API SL / CF		MB-229.1, VW 501.01 / 505.00	
EVOLUTION 500 <b>TURBO DIESEL</b>	15W-40	Advanced Mineral Technology	ACEA A3 / B3 API SL / CF		MB-229.1, VW 501.01 / 505.00	
EVOLUTION 500 <b>TS</b>	20W-50	Advanced Mineral Technology	ACEA A3 / B3 API SL / CF		MB-229.1, VW 501.01 / 505.00	



# EVOLUTION 400 PRODUCTS

Protection and reliability  
The assurance and reliability of an established brand

COMMERCIAL NAMES	VISCOCITY GRADES	TECHNOLOGY	INTERNATIONAL SPECIFICATIONS	OEM APPROVALS	MEETS THE REQUIREMENTS OF	FUEL ECONOMY/ LOW SAPS
EVOLUTION 400	10W-30 15W-40 20W-50	Mineral Technology				

# EVOLUTION 300 PRODUCTS

Protection  
The assurance and reliability of an established brand

EVOLUTION 300	15W-40	Mineral Technology	API SJ / CF			
EVOLUTION 300	20W-50	Mineral Technology	API SF / CD			
EVOLUTION 300 <b>CNG</b>	20W-50	Mineral Technology	API SG / CD			
EVOLUTION 300 <b>FT</b>	15W-40 20W-50	Mineral Technology	API SJ / CF			
EVOLUTION 300	SAE 40	Mineral Technology	API SJ / CF			
EVOLUTION 300	SAE 50	Mineral Technology	API SF / CD			



# ELF Products Dedicated To Renault



EVOLUTION  
**R-TECH**

**Specs: RN homologated**  
Target Sales Channel:  
Renault network



EVOLUTION  
**FULL-TECH R**

**Specs: RN homologated**  
Target Sales Channel:  
Independent Garage



EVOLUTION  
**PRO-TECH**

**Specs: ACEA & API Only**  
Target Sales Channel:  
Renault network



SPORTI  
**9 R**

**Specs: Meet the requirements of RN specs**  
Target Sales Channel:  
Auto centers, spare parts  
platforms, supermarkets etc.



## EVOLUTION R-TECH

Specs: RN homologated, Target Sales Channel: Renault network

COMMERCIAL NAMES	VISCOCITY GRADES	TECHNOLOGY	INTERNATIONAL SPECIFICATIONS	OEM APPROVALS	FUEL ECONOMY/ LOW SAPS
EVOLUTION R-TECH <b>ELITE FE</b>	0W-20	Synthetic Technology	ACEA C5	RN17 FE	 
EVOLUTION R-TECH <b>SPORT</b>	0W-40	Synthetic Technology	ACEA C3	RN0710, RN17 RSA	 
EVOLUTION R-TECH <b>ELITE</b>	5W-30	Synthetic Technology	ACEA C3	RN17 (Backward compatible: RN0700, RN0710)	
EVOLUTION R-TECH <b>FE</b>	5W-30	Synthetic Technology	ACEA C4	RN0720	 




## EVOLUTION PRO-TECH

Specs: ACEA & API Only, Target Sales Channel: Renault network

EVOLUTION PRO-TECH <b>C3</b>	5W-30	Synthetic Technology	ACEA C3		
EVOLUTION PRO-TECH	5W-40	Synthetic Technology	ACEA A3 / B4 API SL / CF		
EVOLUTION PRO-TECH	10W-40	Synthetic-Based Technology	ACEA A3 / B4 API SL / CF		
EVOLUTION PRO-TECH	15W-40	Advanced Mineral Technology	ACEA A3 / B3 API SL / CF		

## EVOLUTION FULL-TECH R

Specs: RN homologated, Target Sales Channel: Independent Garage

EVOLUTION FULL-TECH <b>R</b>	5W-30	Synthetic Technology	ACEA C3	RN17	
 EVOLUTION FULL-TECH <b>R FE</b>	0W-20	Synthetic Technology	ACEA C5	RN17 FE	 

## SPORTI 9 R

Specs: Meets the requirements of RN specs  
Target Sales Channel: Auto centers, spare parts platforms, supermarkets

SPORTI <b>9 R</b>	5W-30	Synthetic Technology	ACEA C3	Meet the requirements of RN17	
-------------------	-------	----------------------	---------	-------------------------------	--



# ELF SPORTI Range Nomenclature



SPORTI  
**5**  
Mineral Oil

The assurance, reliability and protection of an established brand



SPORTI  
**7**  
Synthetic-Based Oil

Protection and reliability for extended drain intervals



SPORTI  
**9**  
Synthetic Oil Technology

For recent cars models demanding technical requirements. High protection.



# Label Architecture

Segment  
Identification Colour

ELF Logo

Range Name

Denomination

Technology Used

Fuel Eco and/or Particulate  
Filter Picto

Norms

Viscosity

Capacity

QR Code

Application Pictogram



elf  
**SPORTI**  
9 C2

5W-30 Synthetic technology

ACEA C2  
Meets the requirements:  
PSA B71 2290.

FR - Huile de technologie de synthèse. Spécialement conçue pour assurer la compatibilité avec les systèmes de post-traitement. EUH210 - Fiche de données de sécurité disponible sur demande. Importateur pour la Suisse: TOTAL (SUISSE) SA Rue des Saules, 18 Bâle, CH-6340 www.total Suisse.ch.  
EN - Synthetic oil. Specially designed to be compatible with post-treatment systems. EUH210 - safety data sheet available on request.

NL - Synthetische technologie-olie. Speciaal samengesteld om de compatibiliteit met nabehandelingssystemen te garanderen. EUH210 - Veiligheidsinformatieblad op verzoek verkrijgbaar.

ewc 10 02 05  
5L | | 3 425901 111896

TOTAL LUBRIFIANTS - 562, avenue du Parc de l'Île - 92000 NANTERRE - FRANCE  
Tél. +33 (0)1 47 35 40 00 - www.elf.com  
Designed in France - Made in EU

ELF Logo  
Range Name  
Denomination  
Viscosity/Grade  
Technology Used

Product Description

Manufacturer  
Homologation

Capacity

Segment  
Identification Colour



## Verso Label Design














Product information is aligned to the left with one piece of information on top of the other. The valorization pictograms placed in the area provided for this purpose from left to right at the bottom of this information. In case there are no pictograms and/or homologation, the information is placed at the bottom on the baseline of the capacity.

## Back Label Architecture

The back of the label is composed of 3 main areas.




# SPORTI PRODUCTS

COMMERCIAL NAMES	VISCOCITY GRADES	TECHNOLOGY	INTERNATIONAL SPECIFICATIONS	OEM PROFILE	FUEL ECONOMY/ LOW SAPS
SPORTI <b>9 LONG LIFE</b>	5W-30	Synthetic Technology	ACEA C3 API SN / CF	Meets the requirements of BMW LL-04, MB-229.51, VW 504.00, VW 507.00	
SPORTI <b>9 C4</b>	5W-30	Synthetic Technology	ACEA C4	Meets the requirements of MB-229.51, RN0720	 
SPORTI <b>9 C3</b>	5W-40	Synthetic Technology	ACEA C3 API SN / CF	Meets the requirements of MB-229.51, FIAT 9.55535-GH2, FIAT 9.55535-S2, FORD WSS-M2C 917-A, GM Dexos 2, VW 505.01	
SPORTI <b>9 C3</b>	5W-30	Synthetic Technology	ACEA C3 API SN / CF	Meets the requirements of BMW LL-04, CHRYSLER MS-11106, MB-229.52, GM Dexos 2, Suitable for HYUNDAI KIA MOTORS	
SPORTI <b>9 C2/C3</b>	5W-30	Synthetic Technology	ACEA C2 / C3	Meets the requirements of MB-229.52, GM Dexos 2	 
SPORTI <b>9 C2</b>	5W-30	Synthetic Technology	ACEA C2	Meets the requirements of PSA B71 2290	 
SPORTI <b>9 C1</b>	5W-30	Synthetic Technology	ACEA C1	Meets the requirements of FORD WSS-M2C 934-A, WSS-M2C 934-B	 
SPORTI <b>9 A5/B5</b>	5W-30	Synthetic Technology	ACEA A5 / B5 API SL / CF	Meets the requirements of FORD WSS-M2C 913-D (Backward compatible to WSS-M2C 913-C)	
SPORTI <b>9</b>	5W-40	Synthetic Technology	ACEA A3 / B4 API SN / CF	Meets the requirements of CHRYSLER MS-12991, MB-229.3, FIAT 9.55535-M2, PSA B71 2296, RN0700, RN0710, VW 502.00, VW 505.00	
 SPORTI <b>9 GF6</b>	0W-20 5W-30	Synthetic Technology	API SP ILSAC GF-6A		
SPORTI <b>7 A3/B4</b>	10W-40	Synthetic-Based Technology	ACEA A3 / B4 API SL / CF	Meets the requirements of MB-229.1, PSA B71 2294, PSA B71 2300, RN0700, VW 501.01, VW 505.00	
SPORTI <b>5</b>	15W-40	Mineral Technology	ACEA A3 / B3 API SL / CF		



# SPORTI TXI PRODUCTS

COMMERCIAL NAMES	VISCOCITY GRADES	TECHNOLOGY	INTERNATIONAL SPECIFICATIONS	OEM PROFILE	FUEL ECONOMY/ LOW SAPS
SPORTI TXI	5W-30	Synthetic Technology	ACEA A5 / B5 API SL / CF		
SPORTI TXI	5W-40	Synthetic Technology	ACEA A3 / B4 API SL / CF		
SPORTI TXI	10W-40	Synthetic-Based Technology	ACEA A3 / B4 API SL / CF		
SPORTI TXI	15W-40	Mineral Technology	ACEA A3 / B3 API SL / CF		
SPORTI TXI	20W-50	Mineral Technology	ACEA A3 / B3 API SL / CF		